L Number	Hits	Search Text	DB	Time stamp
-	9111	(retriev\$5 near5 (information data resource\$2)) and (request\$5	USPAT;	2002/07/16 09:49
		same (user\$2 client\$2)) and (XML (extensible markup	US-PGPUB;	
		language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO; DERWENT;	
		transmit\$5)	IBM_TDB	
_	36	((retriev\$5 near5 (information data resource\$2)) and	USPAT:	2003/04/07 11:40
_	00	(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj	IBM_TDB	
l		language\$2)) and (xsl stylesheet\$2)	LIODAT	0000/07/40 47:00
-	73	((retriev\$5 near5 (information data resource\$2)) and	USPAT; US-PGPUB;	2002/07/18 17:33
		(request\$5 same (user\$2 client\$2)) and (XML (extensible markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM TDB	
		stylesheet\$2)		
-	36	((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/18 17:34
		(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB;	
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj	IBM_TDB	
	37	language\$2)) and (xsl stylesheet\$2) (((retriev\$5 near5 (information data resource\$2)) and	USPAT;	2002/07/23 11:33
-	3,	(request\$5 same (user\$2 client\$2)) and (XML (extensible	US-PGPUB:	2002/07/20 11:00
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	EPO; JPO;	
		transmit\$5)) and (http (hyperText adj transfer adj protocol))	DERWENT;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	IBM_TDB	
		stylesheet\$2)) Not (((retriev\$5 near5 (information data		
		resource\$2)) and (request\$5 same (user\$2 client\$2)) and		
		(XML (extensible markup language\$2)) and (convert\$5		
		generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj protocol)) and (html (hyper adj text		
		adj markup adj language\$2)) and (xsl stylesheet\$2))		
_	47	(request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT;	2002/07/23 11:33
		markup language\$2)) and (convert\$5 generat\$5 transform\$5	US-PGPUB;	
		transmit\$5) and (http (hyperText adj transfer adj protocol))	EPO; JPO;	
		and (html (hyper adj text adj markup adj language\$2)) and (xsl	DERWENT;	
	.=	stylesheet\$2) and filter\$5	IBM_TDB	0000/07/00 40:44
-	45409	(request\$5 same (identit\$5 identif\$5))	USPAT; US-PGPUB;	2002/07/22 10:14
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	790	(parameter\$2 same identity same (client\$2 user\$2))	USPAT;	2002/07/22 11:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	^^	//	IBM_TDB	2002/07/22 40:25
-	29	((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT;	2002/07/22 10:35
		XML	US-PGPUB; EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	7038	(parameter\$2 same (identity identif\$5) same (client\$2 user\$2))	USPAT;	2002/07/22 11:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/07/00 :: 5-
-	5	((((parameter\$2 same (identity identif\$5) same (client\$2	USPAT;	2002/07/23 11:23
		user\$2))) and xml) and filter\$5) and xsl	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	İ

-	111	(((parameter\$2 same (identity identif\$5) same (client\$2 user\$2))) and xml) and filter\$5	USPAT; US-PGPUB;	2002/07/22 13:33
			EPO; JPO; DERWENT; IBM_TDB	
-	103	(phone same (user\$2 client\$2) same (id identity)) and xml	USPAT; US-PGPUB;	2002/07/22 15:44
			EPO; JPO; DERWENT;	
	405	700/007	IBM_TDB USPAT	2002/07/24 08:31
-	165 118	709/207.ccls. ((parameter\$2 same identity same (client\$2 user\$2))) and	USPAT;	2002/07/24 08:31
		XML .	US-PGPUB; EPO; JPO; IBM_TDB	
-	83	(((parameter\$2 same identity same (client\$2 user\$2))) and XML) and (server\$2 same object\$2)	USPAT; US-PGPUB;	2003/01/02 13:45
		Awil) and (Server \$2 Same Object \$2)	EPO; JPO; IBM_TDB	
-	4	("6401132" "6154738" "6125391" "6301471").pn.	USPAT; US-PGPUB;	2003/01/02 13:46
			EPO; JPO; IBM_TDB	
-	2	(("6401132" "6154738" "6125391" "6301471").pn.) and	USPAT; US-PGPUB;	2003/01/02 13:48
		(object\$2 same server\$2)	EPO; JPO;	
-	3	(("6401132" "6154738" "6125391" "6301471").pn.) and	IBM_TDB USPAT;	2003/01/02 13:48
		(object\$2 (object\$2 same server\$2))	US-PGPUB; EPO; JPO;	
-	718	((parameter\$2 same (identity identif\$5) same (client\$2	IBM_TDB USPAT;	2003/04/07 09:53
		user\$2))) and xml	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	0000/04/07 44 40
-	108	((retriev\$5 near5 (information data resource\$2)) and (request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT; US-PGPUB;	2003/04/07 11:43
		markup language\$2)) and (convert\$5 generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	EPO; JPO; DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj language\$2)) and (xsl stylesheet\$2)	IBM_TDB	
-	94	(((retriev\$5 near5 (information data resource\$2)) and (request\$5 same (user\$2 client\$2)) and (XML (extensible	USPAT; US-PGPUB;	2003/04/07 12:41
		markup language\$2)) and (convert\$5 generat\$5 transform\$5 transmit\$5)) and filter\$5 and (http (hyperText adj transfer adj	EPO; JPO; DERWENT;	
		protocol)) and (html (hyper adj text adj markup adj language\$2)) and (xsl stylesheet\$2)) and parameter\$2	IBM_TDB	
-	22935	(request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))	USPAT; US-PGPUB;	2003/04/07 12:48
			EPO; JPO; DERWENT;	
-	6633	((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	IBM_TDB USPAT;	2003/04/07 12:50
		service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)	US-PGPUB; EPO; JPO;	
	:		DERWENT; IBM_TDB	
-	1287	(((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and	USPAT; US-PGPUB;	2003/04/07 12:50
		(request\$4 same parameter\$2)) and (request\$4 near4 object\$2)	EPO; JPO; DERWENT;	
_	451	(((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5	IBM_TDB USPAT;	2003/04/07 12:52
		service\$2) service\$2) and (format\$4 form\$2)))) and (request\$4 same parameter\$2)) and (request\$4 near4	US-PGPUB; EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5 object\$2))	DERWENT; IBM TDB	
			<u> </u>	I

-	198	((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3 near5 service\$2) service\$2) and (format\$4 form\$2)))) and	USPAT; US-PGPUB;	2003/04/07 12:53
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same format\$4)	IBM_TDB	
_	125	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 12:55
_	120	near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	2000/0 1/07 12:00
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same (request\$4)) and (phone	IBM_TDB	
		cellphone cell\$10 wireless)	IDW_IDD	
	102	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT:	2003/04/07 12:57
-	103	(((((((lequest) 4 same (((type)2 nears service)2) (identities)	US-PGPUB;	2003/04/07 12.37
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and		
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
	1	object\$2))) and (parameter\$2 same format\$4)) and (phone	IBM_TDB	
		cellphone (cell near4 phone\$2) cellular wireless)		
-	67	(((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 13:24
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
1		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same format\$4)) and (phone	IBM_TDB	
		cellphone (cell near4 phone\$2) cellular wireless)) and (html	_	
		xml)		
_	131	((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	USPAT;	2003/04/07 15:47
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and	US-PGPUB;	
		(request\$4 same parameter\$2)) and (request\$4 near4	EPO; JPO;	
		object\$2)) and (parameter\$2 same (request\$4 near5	DERWENT;	
		object\$2))) and (parameter\$2 same (request\$7) not	IBM_TDB	
		((((((((request\$4 same (((type\$2 near5 service\$2) (identit\$3	10111_100	
		near5 service\$2) service\$2) and (format\$4 form\$2)))) and		
		(request\$4 same parameter\$2)) and (request\$4 near4		
		object\$2)) and (parameter\$2 same (request\$4 near5		
		object\$2))) and (parameter\$2 same format\$4)) and (phone		
		cellphone (cell near4 phone\$2) cellular wireless)) and (html		
	147	xml))	LICDAT	2003/04/07 15:51
-	147	((set near5 parameter\$2) near10 request\$4) and ((set near4	USPAT;	2003/04/07 13.31
		parameter\$2) near10 (format\$4 type\$2))	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	14	(((set near5 parameter\$2) near10 request\$4) and ((set near4	USPAT;	2003/04/07 16:25
		parameter\$2) near10 (format\$4 type\$2))) and xml	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	59051	request\$4 near10 (identity type\$2 service\$2)	USPAT;	2003/04/07 16:26
			US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
1_	2025	(request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/04/07 16:36
_	2023	((transmit\$5 send\$4 sent) near10 request\$4 near10	001711	2000/04/07 10:00
		((transmits 5 sends 4 sent) hear to requests 4 hear to		
	500		LICDAT	2003/04/07 16:39
-	508	((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/04/07 16:38
1		((transmit\$5 send\$4 sent) near10 request\$4 near10		
	1 40-	(database\$2 source\$2))) and (convert\$4 same (format\$4 xml))	LICDAT	0000/05/00 40 04
-	427	(((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:01
	1	((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)		
-	114	((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/05 16:23
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
1		(database\$2 source\$2))) and (convert\$4 same (format\$4		
	L	xml))) and (protocol\$2 gateway\$2)) and html		

	2	5913210.pn.	USPAT; US-PGPUB;	2003/05/03 13:36
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	110	////request\$4 pear10 (identity type\$2 conjec\$2)) and	USPAT	2003/05/05 16:24
-	119	((((request\$4 near10 (identity type\$2 service\$2)) and	USFAI	2003/03/03 10.24
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and html	LIODAT	0000/05/00 45.44
-	35	(((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 15:44
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and html) and xml		
-	199	(request near3 object\$4) near5 parameter\$2	USPAT;	2003/05/05 16:49
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	28	((request near3 object\$4) near5 parameter\$2) and xml	USPAT;	2003/05/05 16:49
			US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	1	6397259.pn.	USPAT	2003/05/06 15:44
_	1	6397259.pn. and filter\$4	USPAT	2003/05/06 16:35
-	1	6334126.pn.	USPAT	2003/05/06 15:59
_	1	6334126.pn. and xml	USPAT	2003/05/06 16:35
_	1 1	(6334126.pn. and xml) and extensible	USPAT	2003/05/06 16:00
_	436	(((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:05
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)		
_	23	((((request\$4 near10 (identity type\$2 service\$2)) and	USPAT	2003/05/06 16:54
		((transmit\$5 send\$4 sent) near10 request\$4 near10		
		(database\$2 source\$2))) and (convert\$4 same (format\$4		
		xml))) and (protocol\$2 gateway\$2)) and (xsl (style near3		
		sheet\$2))		
_	1	6397259.pn. and (xml xsl)	USPAT	2003/05/06 16:35
-	1 1	6334126.pn. and (xml xsl)	USPAT	2003/05/06 16:36
_	l o	6125391.pn	USPAT	2003/05/06 16:54
_	1	6125391.pn.	USPAT	2003/05/06 16:54
-	1	6125391.pn. and (xml xsl (style near3 sheet\$2))	USPAT	2003/05/06 16:56
_	47	communicat\$4 and (wireless cell\$8) and (convert\$4 format\$5)	USPAT	2003/05/07 13:33
		and (xml (extensible near3 language\$2)) and (xsl (style near3		
	ļ	sheet\$2))		
 	1	6477549.pn.	USPAT	2003/05/07 11:59
1_	1	6477549.pn. and (style sheet\$2 ss)	USPAT	2003/05/07 12:00
_	1	6397259.pn.	USPAT	2003/05/07 13:25
-	1	6397259.pn. and (style sheet\$2 xsl xml ss)	USPAT	2003/05/07 13:28
_	1	6334126.pn.	USPAT	2003/05/07 13:28
-	1	6334126.pn. and (style sheet\$2 xsl xml ss)	USPAT	2003/05/07 13:28
-	682	(xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:35
		sheet\$2))	US-PGPUB;	
		J. 100.42//	EPO; JPO;	
			IBM TDB	
_	561	((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 13:35
	301	sheet\$2))) and html	US-PGPUB;	_000,00,01 10.00
		σποσιφε <i>ηη</i> απα παπι	EPO; JPO;	ļ
			IBM_TDB	
_	546	(((xml (extensible near4 language\$2)) same (xsl (style near4	USPAT;	2003/05/07 15:53
-	340	sheet\$2))) and html) and (convert\$4 format\$4)	US-PGPUB;	2000/00/07 10:00
		Silee(\$\(\rho_{\ell}\)) and mini) and (convertible formatible)	EPO; JPO;	
			IBM TDB	
_	415	((((ym) (extensible pear4 language\$2)) come (yet (et))e coer4	_	2003/05/07 13:38
-	415	((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2	USPAT;	2003/03/07 13.38
		Sheetwajj) and humij and (convert or formator)) and protocolo2	US-PGPUB; EPO; JPO;	
			IBM_TDB	
L	L	<u> </u>	פטו_ואופו	l

Sheet\$2]) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2					
0 (((((mml (extensible near4 language\$2)) same (xsl (style near4 language\$2)) and ((n) and (converts formats4)) and protocol\$2) and gateway\$2) ont (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and him) and (converts formats4)) and protocol\$2) and ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((notocol\$2) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2 and gateway\$2 ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (converts formats4)) and protocol\$2) and gateway\$2 ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and (kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (extensible near4 language\$2)) same (xsl (style near4 s	-	182		EPO; JPO;	2003/05/07 15:52
Sheet\$2()) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((imml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and stem\$2()) and html) and (convert\$4 format\$4)) and protocol\$2) not ((((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 explored ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 explored ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 and gateway\$2 (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2 ((((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2 ((((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (kml (kml (kml (kml (kml (kml (kml (kml					
protocol\$2) and gateway\$2) not ((((kmf) (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and ((kmf) (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and (style near4 sheet\$2)) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)	-	0			2003/05/07 14:09
language\$2) same (xsl (style near4 sheet\$2)) and html) and convert\$4 format\$4) and protocol\$2? (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2 in oth (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (((((((((((((((((((((((((((((((((((
203			language\$2)) same (xsl (style near4 sheet\$2))) and html) and		
		233		USPAT:	2003/05/07 14:10
protocol\$2) not ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) (((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 and gateway\$2) (((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 and gateway\$2) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and format\$4)) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and format\$4)) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and (((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and (((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and (((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and ((((kml (extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and ((((kml extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) and ((((kml extensible near4 language\$2)) same (ksl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2)			sheet\$2))) and html) and (convert\$4 format\$4)) and	US-PGPUB;	
1			protocol\$2) not ((((((xml (extensible near4 language\$2)) same		
Comparison Com				IBM_TDB	
Sheet\$2])) and (convert\$4 format\$4) US_PGPUB; EPO, IPO; IBM, TDB USPAT; US_PGPUB; EPO; IPO; IBM, T					0000/05/07 45-54
## 170 ##	-	655			2003/05/07 15:54
470 (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2 USPAT; US.PGPUB; BPO; JPO; IBM, TDB US.PGPUB; BPO; JPO; IBM, TDB US.PGPUB; BPO; JPO; IBM, TDB US.PGPUB; BPO; JPO; JPO; IBM, TDB US.PGPUB; BPO; JPO; JPO; JPO; IBM, TDB US.PGPUB; BPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J			sheet\$2))) and (convert\$4 format\$4)		
470					
Sheet\$2])) and (convert\$4 format\$4)) and protocol\$2		470	(((xml (extensible near4 language\$2)) same (xsl (style near4		2003/05/08 12:27
192 ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2 2003/05/07 15:55 10 (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) same (-	4,0			
192					
Sheet\$2)) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2 Sheet\$2)) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and him) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2)) and him) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2)) and him) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2)) and him) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) same (xsl (style near4 sheet\$2)) and him) and convert\$4 format\$4] same (xsl (style near4 sheet\$2)) and him) and (convert\$4 format\$4] same (xsl (style near4 sheet\$2)) same (xsl					
gateway\$2 - 10 ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2 (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) - 10 (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 format\$4	-	192			2003/05/07 15:55
Section Converts Section Converts Section Converts Section Converts Co					
10 (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 formats\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and protocol\$2 and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2 and gateway\$2)) not ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2 and gateway\$2)) not ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2 and gateway\$2)) not ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and protocol\$2 and gateway\$2) not ((((xml (extensible near4 language\$2))) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 format\$4) and (((xml (extensible near4 language\$2))) same (xsl (style near4 sheet\$2)) and html) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)			gateway\$2		
Sheet\$2])) and (convert\$4 format\$4) and protocot\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and thml) and (convert\$4 format\$4)) and protocot\$2) and gateway\$2) ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and (convert\$4 format\$4)) and protocot\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocot\$2) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocot\$2) and gateway\$2)) - 2 ("6334126" "6397259").pn.) and filter\$4 - 2 (("6334126" "6397259").pn.) and filter\$4 - 2 (("6334126" "6397259").pn.) and database - 2 (("6334126" "6397259").pn.) and database - 2 (("6334126" "6397259").pn.) and protocol - 3 (("6334126" "6397259").pn.) and protocol - 4 (("6334126" "6397259").pn.) and protocol - 5 (("6334126" "6397259").pn.) and protocol - 6 (("6334126" "6397259").pn.) and protocol - 7 (("6334126" "6397259").pn.) and protocol - 8 (("6334126" "6397259").pn.) and protocol - 9 (("6334126" "6397259").pn.) and protocol - 1 (("6334126" "6397259").pn.) and protocol - 1 (("6334126" "6397259").pn.) and protocol - 1 (("6334126" "6397259").pn.) and protocol - 2 (("6334126" "6397259").pn.) and protocol - 3 (("6334126" "6397259").pn.) and protocol - 4 (("6334126" "6397259").pn.) and protocol - 5 (("6334126" "6397259").pn.) and protocol - 6 (("6334126" "6397259").pn.) and protocol - 7 (("6334126" "6397259").pn.) and protocol - 8 (("6334126" "6397259").pn.) and protocol - 9 (((((((((_	10	(((((xml (extensible near4 language\$2)) same (xsl (style near4		2003/05/07 15:55
gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 IBM_TDB 10 ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and gateway\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 ISPAT; US-PGPUB; EPO; JPO; IBM_TDB 10 (((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 IBM_TDB 11 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 IBM_TDB 12 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 IBM_TDB 13 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 IBM_TDB 14 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and protocol\$2) and gateway\$2) 15 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 16 (xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 17 ((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 18 (style near4 sheet\$2)) and html) and (convert\$4 18 (xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) same (xs			sheet\$2))) and (convert\$4 format\$4)) and protocol\$2) and		
(xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) 10 (((((((((((((((((((((((((((((((((((gateway\$2) not ((((((xml (extensible near4 language\$2)) same		
10				IBM_TDB	
Sheet\$2)) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2) not (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) not ((((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not (((((kml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2))				LICDAT.	2002/05/07 46:04
gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and agateway\$2)) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not ((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) - 2 ("6334126" "6397259").pn. and filter\$4 - 1 (("6334126" "6397259").pn.) and filter\$4 - 2 (("6334126" "6397259").pn.) and search - 2 (("6334126" "6397259").pn.) and database - 2 (("6334126" "6397259").pn.) and protocol - 1 (("6334126" "6397259").pn.) and protocol - 2 (("6334126" "6397259").pn.) and protocol - 3 (("6334126" "6397259").pn.) and protocol - 4 (("6334126" "6397259").pn.) and protocol - 5 (("6334126" "6397259").pn.) and protocol - 5 (("6334126" "6397259").pn.) and protocol - 6 (("6334126" "6397259").pn.) and protocol - 7 (("6334126" "6397259").pn.) and protocol - 8 (("6334126" "6397259").pn.) and protocol - 9 (("6334126" "6397259").pn.) and protocol - 1 (("6334126" "6397259").pn.) and protocol - 2 (("6334126" "6397259").pn.) and protocol	-	10			2003/05/07 16:04
(xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4) and protocol\$2) and gateway\$2) not (((((xml (extensible near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) USPAT; USPAT; USPGPUB; EPO; JPO; IBM_TDB - 1 (("6334126" "6397259").pn.) and filter\$4 USPAT; USPGPUB; EPO; JPO; IBM_TDB - 2 (("6334126" "6397259").pn.) and search USPAT; USPGPUB; EPO; JPO; IBM_TDB - 2 (("6334126" "6397259").pn.) and database USPAT; USPGPUB; EPO; JPO; IBM_TDB - 2 (("6334126" "6397259").pn.) and protocol USPAT; USPGPUB; EPO; JPO; IBM_TDB - 2 (("6334126" "6397259").pn.) and protocol USPAT; USPGPUB; EPO; JPO; IBM_TDB - 1 (("6334126" "6397259").pn.) and protocol USPAT; USPGPUB; EPO; JPO; IBM_TDB - 1 (("6334126" "6397259").pn.) and protocol USPAT; USPGPUB; EPO; JPO; IBM_TDB - 1 (("6334126" "6397259").pn.) and protocol) and gateway\$2 USPAT; USPGPUB; EPO; JPO; IBM_TDB			sneet52))) and (convert54 format54)) and protocot52) and		
cormat\$4) and protocol\$2) and gateway\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2)) and html) and (convert\$4 format\$4) and protocol\$2) not ((((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2))					
Sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) not (((((((((((((((((((((((((((((((((((_	
protocoi\$2) not (((((xml (extensible near4 language\$2)) same (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) 2 ("6334126" "6397259").pn. 1 (("6334126" "6397259").pn.) and filter\$4 2 (("6334126" "6397259").pn.) and search 2 (("6334126" "6397259").pn.) and database 2 (("6334126" "6397259").pn.) and database 3 ("6334126" "6397259").pn.) and protocol 4 ("6334126" "6397259").pn.) and protocol 5 ("6334126" "6397259").pn.) and protocol 6 ("6334126" "6397259").pn.) and protocol 7 ("6334126" "6397259").pn.) and protocol 8 ("6334126" "6397259").pn.) and protocol 9 ("6334126" "6397259").pn.) and protocol 1 (("6334126" "6397259").pn.) and protocol 9 ("6334126" "6397259").pn.) and protocol 1 (("6334126" "6397259").pn.) and protocol 2 (("6334126" "6397259").pn.) and protocol 2 (("6334126" "6397259").pn.) and protocol 3 (("6334126" "6397259").pn.) and protocol 4 (("6334126" "6397259").pn.) and protocol 5 (("6334126" "6397259").pn.) and protocol 6 (("6334126" "6397259").pn.) and protocol 7 (("6334126" "6397259").pn.) and protocol 8 (("6334126" "6397259").pn.) and protocol 9 (("6334126" "6397259").pn.) and protocol 9 (("6334126" "6397259").pn.) and protocol					
- 2 (xsl (style near4 sheet\$2))) and html) and (convert\$4 format\$4)) and protocol\$2) and gateway\$2)) USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/07 16:05 - 1 (("6334126" "6397259").pn.) and filter\$4 USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/08 08:46 - 2 (("6334126" "6397259").pn.) and search USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/08 15:08 - 2 (("6334126" "6397259").pn.) and database USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/08 11:36 - 2 (("6334126" "6397259").pn.) and protocol USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/08 11:39 - 1 (("6334126" "6397259").pn.) and protocol) and gateway\$2 USPAT; US-PGPUB; EPO; JPO; IBM_TDB 2003/05/08 12:07					
- 2 ("6334126" "6397259").pn.) and filter\$4 USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PG					
- 2 ("6334126" "6397259").pn.) and filter\$4 USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB; EPO; IBM_TDB USPAT; US-PGPUB;					
- 1 (("6334126" "6397259").pn.) and filter\$4	-	2		USPAT;	2003/05/07 16:05
- 1 (("6334126" "6397259").pn.) and filter\$4			· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	
- 1 (("6334126" "6397259").pn.) and filter\$4					
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; ISM_TDB USPAT; US-PGPUB; EPO; I			(///C224426// //C207250// nn \ nnd 5//nd4		2003/05/09 09:46
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB	-	"	((0004120 0081208).pn.) and ille1\$4		2003/03/06 06.46
- 2 (("6334126" "6397259").pn.) and search - 2 (("6334126" "6397259").pn.) and database - 2 (("6334126" "6397259").pn.) and protocol - 3 (("6334126" "6397259").pn.) and protocol - 4 (("6334126" "6397259").pn.) and protocol - 5 (("6334126" "6397259").pn.) and protocol) and gateway\$2 - 6 (("6334126" "6397259").pn.) and protocol) and gateway\$2 - 5 (("6334126" "6397259").pn.) and protocol) and gateway\$2 - 6 (("6334126" "6397259").pn.) and protocol) and gateway\$2 - 7 ((("6334126" "6397259").pn.) and protocol) and gateway\$2 - 8 ((("6334126" "6397259").pn.) and protocol) and gateway\$2					
- 2 (("6334126" "6397259").pn.) and search USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-PGPU					
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US-PGPUB; USPAT; US-PGPUB; US-PG	-	2	(("6334126" "6397259").pn.) and search	USPAT;	2003/05/08 15:08
- 2 (("6334126" "6397259").pn.) and database IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT;					
- 2 (("6334126" "6397259").pn.) and database USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; USP					
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; U		,	(/"6334126" "6397259") nn) and database		2003/05/08 11:36
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; US-PGPUB; EPO; USPAT; USPAT	-		((000+120 0001200).ph.) and database		2000/00/00 11:00
- 2 (("6334126" "6397259").pn.) and protocol USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;				EPO; JPO;	
US-PGPUB; EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;				IBM_TDB	
EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	-	2	(("6334126" "6397259").pn.) and protocol		2003/05/08 11:39
1 ((("6334126" "6397259").pn.) and protocol) and gateway\$2 IBM_TDB					
- 1 ((("6334126" "6397259").pn.) and protocol) and gateway\$2 USPAT; US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO;	_	1	((("6334126" "6397259") on) and protocol) and gateway\$2		2003/05/08 12:07
EPO; JPO;		·	III 555 Tizo 555 Zoo J.phi.) and protocol) and gatewayez		
l l l l l l l l l l l l l l l l l l l				EPO; JPO;	
I I I I I I I I I I I I I I I I I I I				IBM_TDB	

-	1	6424979.pn.	USPAT;	2003/05/08 12:07
		•	US-PGPUB;	
	1		EPO; JPO;	
			IBM_TDB	
-	1	6424979.pn. and (xml xsl (extensible near4 language\$2) style	USPAT;	2003/05/08 12:25
		sheet\$2)	US-PGPUB;	
			EPO; JPO;	
			IBM_TDB	
-	646	1 ''	USPAT;	2003/05/08 12:27
		language\$2))) and (xsl (style near3 sheet\$2))	US-PGPUB;	
			EPO; JPO;	
		200 (1711	IBM_TDB	0000/05/00 40:00
-	477	1 ((()	USPAT;	2003/05/08 12:28
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2	US-PGPUB;	
	1		EPO; JPO;	
	205	///translat@4 approad@4 format@4) appro (vml /avtansible page?	USPAT:	2003/05/08 12:28
-	265	(((translat\$4 convert\$4 format\$4) same (xml (extensible near3 language\$2))) and (xsl (style near3 sheet\$2))) not ((((xml	US-PGPUB:	2003/03/00 12.20
		(extensible near4 language\$2)) same (xsl (style near4	EPO; JPO;	
		sheet\$2))) and (convert\$4 format\$4)) and protocol\$2)	IBM TDB	
_	3		USPAT:	2003/05/08 15:19
		((000 1 120 000 1200 00 12000).pri.) dire (minute direc)	US-PGPUB:	
			EPO: JPO:	
			IBM TDB	